



Shandong Shenjie Bearing Co., Ltd.



2207 E-2RS1TN9 Bearing 2D drawings and 3D CAD models

35 mm x 72 mm x 23 mm SKF 2207 E-2RS1TN9 Self Aligning Ball Bearings

Bearing No. 2207 E-2RS1TN9

Category	Self Aligning Ball Bearings
Inventory	3.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight	0.415
EAN	7316577039651
Product Group	B00152
Mounting Method	Shaft
Enclosure	2 Seals
Rolling Element	Ball Bearing
Cage Material	Polyamide
Precision Class	ABEC 1 ISO P0
Internal Clearance	C0-Medium
Number of Rows of Balls	Double Row
Other Features	Allowable Misalignment 1.5 Deg High Capacity Design
Long Description	35MM Bore; Shaft Mount; 72MM Outside Diameter; 23MM Inner Race Width; 23MM Outer Race Width; 2 Seals; Polyamide Cage; Double Row of Balls; ABEC 1 ISO P0; C0-Medium
Inch - Metric	Metric
Category	Self Aligning Ball Bearings
UNSPSC	31171532
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing



Shandong Shenjie Bearing Co., Ltd.

Keyword String	Self Aligning
Manufacturer URL	http://www.skf.com
Manufacturer Item Number	2207 E-2RS1TN9
Weight / LBS	0.913
D	2.835 Inch 72 Millimeter
d	1.378 Inch 35 Millimeter
Inner Race Width	0.906 Inch 23 Millimeter
Outer Race Width	0.906 Inch 23 Millimeter
bore diameter:	35 mm
precision rating:	Not Rated
outside diameter:	72 mm
maximum rpm:	6300 RPM
overall width:	23 mm
cage material:	Fiberglass Reinforced Nylon
bore type:	Straight
finish/coating:	Uncoated
closure type:	Double Sealed
maximum misalignment:	2.5 °
internal clearance:	C0
outer ring width:	23 mm
operating temperature range:	-40 to +210 ° F
fillet radius:	1.1 mm
dynamic load capacity:	19 kN
series:	2200
static load capacity:	6 kN
d	35 mm
D	72 mm
B	23 mm
d ₂	42.7 mm
D ₂	62.69 mm
r _{1,2} min.	1.1 mm



Shandong Shenjie Bearing Co., Ltd.

d_a min.	42 mm
d_a max.	42.5 mm
D_a max.	65 mm
r_a max.	1.1 mm
Basic dynamic load rating C	19 kN
Basic static load rating C_0	6 kN
Fatigue load limit P_u	0.31 kN
Limiting speed	6300 r/min
Permissible angular misalignment	1.5 °
Calculation factor k_r	0.045
Calculation factor e	0.23
Calculation factor Y_0	2.8
Calculation factor Y_1	2.7
Calculation factor Y_2	4.2
Mass bearing	0.41 kg