



MSE800BXHFATL Bearing 2D drawings and 3D CAD models

### TIMKEN MSE800BXHFATL Flange Block Bearings

Bearing No. MSE800BXHFATL

Category	Flange Block Bearings
Inventory	0.0
Manufacturer Name	TIMKEN
Minimum Buy Quantity	N/A
Weight	274.17
EAN	0013992051172
Product Group	B04144
Number of Mounting Holes	4
Mounting Method	Clamp Collar
Housing Style	4 Bolt Round Flange Block
Rolling Element	Cylindrical Roller Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Expansion
Mounting Bolts	30 Millimeter
Relubricatable	Yes
Insert Part Number	MSE800BX
Seals	Triple Lip Labyrinth
Housing Configuration	2 Piece Split
Pilot Configuration	No Pilot
Inch - Metric	Inch
Long Description	4 Bolt Round Flange Block; 8" Bore; 22-1/2" Bolt Circle; 2 Piece Split; Clamp Collar Mount; Cast Iron; Cylindrical Roller Bearing; 6.142" Length Thru Bore; 15.9" Bolt Spacing; Relu



## Shandong Shenjie Bearing Co., Ltd.

Other Features	Single Row   Wide Inner Ring   Medium Duty
Category	Flange Block Bearings
UNSPSC	31171501
Harmonized Tariff Code	8483.20.40.80
Noun	Bearing
Keyword String	Flanged
Manufacturer URL	<a href="http://www.timken.com">http://www.timken.com</a>
Weight / LBS	603.9
Cartridge Pilot Depth	0 Inch   0 Millimeter
d	8 Inch   203.2 Millimeter
Bolt Spacing	15.9 Inch   404.5 Millimeter
Cartridge Pilot Diameter	0 Inch   0 Millimeter
Nominal Bolt Circle Diameter Round	22.5 Inch   572 Millimeter
D	6.142 Inch   156 Millimeter
Shaft Size	8 in
Seal Type	Aluminium Triple Labyrinth
Bearing Type	Split Cylindrical Expansion Type
Support Type	Round Flange
Series Type	Medium Series
Bolt Size	4 x M30
Bearing - Housing - Seal	MSE800BXHATL
Bearing - Housing - Seal UPC	013992044570
Bearing UPC	013992033178
Dimension T	25.5 in
Dimension R	22.5 in
Dimension P	1.3 in
Dimension H	5.4 in
Dimension N	19.375 in
Dimension V	0.2 in



## Shandong Shenjie Bearing Co., Ltd.

Dimension L	10.1 in
Cr - Dynamic Load Rating	227732 lbf
Cor - Static Load Rating	340810 lbf
Maximum Speed	960 rpm
Note	This product line was formerly known as "Revolv" "